GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services - MA&UD Department - Certain allegations leveled against A.Srinivasa Rao, the then Assistant Engineer, Guntur Municipal Corporation on misappropriation in purchase of chlorine gas and bleaching powder in Guntur Municipal Corporation - Departmental Proceedings initiated under Rule-20 of the A.P. Civil Services (Classification, Control & Appeal) Rules, 1991 - Appointment of Sri K.Santhi Raju, Executive Engineer, Guntur as Presenting Officer in place of Sri M.Surendra Babu, the then Executive Engineer, Guntur - Orders - Issued.

- -

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.II) DEPARTMENT

G.O.Rt.No.575 **Dated:08.12.2020.**

Read the following:-

1. From the Director General, G.A. (V&E) Department, Vigilance Report No.71, (1365/V&E/DI/2007), dated.12.05.2008.
2. G.O.Rt.No.1651, MA&UD (E1) Department, dated.26.11.2008.
3. Served copy of G.O. received from the ENC (PH), A.P., Hyderabad, Letter No.1141/CS2/2008, dated.30.01.2009.
4. G.O.Rt.No.673, MA&UD (E1) Department, dated.14.06.2010.
5. Govt.Memo.No.10169/E1/2008, MA&UD (E1) Department, dt.14.06.2010.
6. Govt.Memo.No.10169/E1/2008-7, MA&UD (E1) Dept., dated.15.05.2012.
7. From the ENC (PH), A.P., Guntur, Letter No.45/NZVD/CS2/2012, dated.08.05.2019.
8. G.O.Rt.No.551, MA&UD (Vig.II) Department, dated.16.04.2019.
9. From the ENC (PH), A.P., Guntur, Letter No.1141/CS2/2008, dated.27.10.2020.

***

O R D E R:

Whereas, an inquiry under Rule-20 of the A.P. Civil Services (CC&A) Rules, 1991 is being held against Sri A.Srinivasa Rao, the then Assistant Engineer of Guntur Municipal Corporation on the misappropriation in purchase of chlorine gas and bleaching powder in Guntur Municipal Corporation.

2. And whereas, it is considered that a Presenting Officer should be appointed to present the case before the enquiry officer on behalf of the disciplinary authority in support of the Articles of Charges.

3. Whereas, in the reference 4th read above, orders were issued appointing Sri P.Adiseshu, Superintending Engineer, Vijayawada Municipal Corporation as an Inquiry Officer and in the reference 5th read above, Sri A.Satyanarayana Rao, Executive Engineer (PH) Division, Ongole was appointed as Presenting Officer.

4. Subsequently, in the reference 6th read above, orders were issued appointing Sri M.Surendra Babu, the then Executive Engineer, Guntur Municipal Corporation as Presenting Officer in place of Sri A.Satyanarayana Rao, Executive Engineer (PH) Division, Ongole, to present the case before Inquiry Officer on behalf of Disciplinary Authority.

(P.T.O.)

5. Whereas, in the reference 8th read above, orders were issued appointing Sri N.Srinivasulu, Superintending Engineer (PH), Guntur as an Inquiry Officer in place of Sri P.Adiseshu, Chief Engineer (retired), Vijayawada Municipal Corporation to enquire into the charges framed against the above said official.

6. Whereas, in the reference 9th read above, the Engineer-In-Chief (PH), A.P., Guntur has informed that, Sri M.Surendra Babu, the then Executive Engineer, Guntur is now working as Superintending Engineer, Eluru Municipal Corporation and may not be in a position to perform the duty of Presenting Officer in allegations due to work load of Eluru Municipal Corporation. Therefore, the ENC (PH) has requested the Govt. to appoint any of the Executive Engineer working in Guntur Municipal Corporation as Presenting Officer in place of Sri M.Surendra Babu, the then E.E., Guntur, as requested by the Inquiry Officer.

7. Now, therefore, the disciplinary authority, in exercise of powers conferred by clause (c) of sub-rule (5) of Rule 20 of the A.P. Civil Services (CC&A) Rules, 1991, hereby appoints Sri K.Santhi Raju, Executive Engineer, Guntur Municipal Corporation as Presenting Officer in place of Sri M.Surendra Babu, the then Executive Engineer, Guntur Municipal Corporation.

8. The Presenting Officer shall obtain the connected records in the above said case, from the office of ENC (PH), A.P., Guntur and present the case before the Inquiry Officer on behalf of Disciplinary Authority.

9. The receipt of the G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

J.SYAMALA RAO
SECRETARY TO GOVERNMENT

To
Sri K.Santhi Raju, Executive Engineer & Presenting Officer, Guntur
- **through** the ENC (PH), A.P., Guntur.
Sri N.Srinivasulu, Superintending Engineer (PH) & Enquiry Officer,
Guntur - **through** the ENC (PH), A.P., Guntur.
Sri M.Surendra Babu, the then Executive Engineer,
Guntur Municipal Corporation - **through** the ENC (PH), A.P., Guntur.
Sri A.Srinivasa Rao, the then Assistant Engineer, Guntur Municipal Corporation
- **through** the ENC (PH), A.P., Guntur.

Copy to:
The Engineer-In-Chief (PH), A.P., Guntur.
The Director General, G.A. (V&E) Department, A.P., Vijayawada.
The Commissioner, Guntur Municipal Corporation, Guntur.
SF / SC.

// FORWARDED BY ORDER //

SECTION OFFICER.